

1.11

INDEX MAPS.

T. 15 N. R. 12 E. 2<sup>nd</sup> Mer.

150	150	149	149	149	148
152 6	175 5	173 4	166 3	161 2	157 1 148
177	174	172	166	165	160 156
152 7	174 8	172 9	165 10	160 11	156 12 148
176	173	172	165	164	160 156
152 18	173 17	172 16	164 15	159 14	155 13 147
176	171	171	164	163	159 155
151 19	170 20	169 21	163 22	159 23	155 24 147
176	170	168	165	162	158 154
151 30	170 29	168 28	162 27	158 26	154 25 146
175	169	167	167	162	158 153
151 31	169 32	166 33	161 34	157 35	153 36 146
146	145	145	144	144	144

T. 16 N. R. 12 E. 2<sup>nd</sup> Mer.

				184	184
187 6	215 5	207 4	202 3	2 191	1 184
214	214	207	201	196 196	191
186 7	214 8	206 9	201 10	195 11	190 12 183
213	212	206	200	196 195	190
186 18	212 17	205 16	200 15	195 14	190 13 183
211	211	205	199	194 194	189
186 19	211 20	204 21	199 22	194 23	189 24 183
210	210	204	199	193 193	188
185 30	209 29	203 28	198 27	192 26	188 25 182
209	208	203 198	197	192	188
185 31	208 32	202 33	197 34	192 35	187 36 182
181	181	181	180	180	180

The figures on the lines refer to the page.

Township N<sup>o</sup>. 15 North, Range N<sup>o</sup>. 12 East 2<sup>nd</sup> Mer. Indiana.

Ch<sup>o</sup>. 4k<sup>o</sup>. South Boundary.

West Cor S. side of Sec. 36.

34.00 a Sugar 30 in. diam.

40.00 Set q<sup>u</sup>. sec. post. from which  
an Ash 40 in. dia. bears South 5 k<sup>o</sup>. dist. and  
a Buckeye 16 in. " " North. 6 " "

57.00 First rate land. Timb. Beech, Ash, Sugar.  
an Ash 36 in. diam.

80.00 Set post, Cor. to Sec. 35 & 36, from which  
a Sugar 18 in. dia. bears N 41 W, 16 k<sup>o</sup>. dist. and  
a Beech 15 " " " S 30 E. 33 " "  
Rich land. Timb. Beech Ash Sugar &c.

West On S. side of Sec. 35.

39.00 a Spring Course N.E.

40.00 Set q<sup>u</sup>. sec. post. from which  
a Beech 30 in. dia. bears N 70 W, 17 k<sup>o</sup>. dist. and  
a Beech 18 " " " S 70 E. 29 " "  
Good land. Timb. Beech Sugar & Ash.

56.75 a Poplar 50 in. diam.

80.00 Set post Cor. to Sec. 34 & 35, from which  
a Beech 9 in. dia. bears N 30 E. 12 k<sup>o</sup>. dist. and  
a Sugar 12 " " " S 57 W, 26 " "  
Good Land. Sugar Beech & Poplar.

West On S. side of Sec. 34.

13.00 a Brook 3 k<sup>o</sup>. wide course S.W.

24.00 an Ash 24 in. diam. Good Beech land.

25.00 a Brook 5 k<sup>o</sup>. wide course S.

31.50 a Do. 30 " " " S.E.

40.00 Set q<sup>u</sup>. sec. post. from which  
a Beech 24 in. dia. bears East 6 k<sup>o</sup>. dist. and  
a Sugar 8 " " " N 81 W, 14 " "

68.50 a Beech 18 " "

80.00 Set post Cor. to Sec. 33 & 34, from which  
a Sugar 16 in. dia. bears S 54 W, 34 k<sup>o</sup>. dist. and

ch. Lk. a Beech 16 in. dia. bears N 45 E. 22 lks. dist. and  
first rate land, well timbered & level.

West On S. side of Sec. 33.

15.68 an Ash 24 in. diam.

32.00 a Brook 2 lks. wide course S.E.

37.00 a Do. 2 " " " S.W.

40.00 Set q. Sec. post. from which  
an Elm 9 in. dia. bears S 42 E. 3 lks. dist. and  
a Poplar 12 in. " " N 81 W. 43 " "  
Land first rate. Timber Sugar Beech,  
Poplar, Elm.

42.00 a Brook 6 lks. wide course S.E.

60.00 a Do. 6 " " " N.E.

64.00 a Do. 6 " " " S.E.

80.00 Set post cor. to Sec. 32 & 33. from which  
a Sugar 14 in. dia. bears S 14 E. 10 lks. dist. and  
a Sugar 20 " " " N 77 W. 20 " "  
Good land Timber Sugar Beech and c.

West On S. side of Sec. 32.

16.00 an Elm 14 in. diam.

30.00 a Brook 3 lks. wide course N.

40.00 Set q. Sec. post. from which  
an Ash 18 in. dia. bears S 71 E. 21 lks. dist. and  
a Hickory 16 in. " " N 39 W. 42 " "  
Rich level land. Timber, Sugar & Beech.

12.00 Farther West and continued Boundary.

3.00 Farther North to intersection making Boundary  
line 6 miles 8 lks. and Town line 4 miles  
52 lks., at intersection & set post. from which  
a Sugar 12 in. dia. bears N 53 W. 14 lks. dist. and  
a Wh. Oak 30 " " " S 26 E. 14 " "  
Surveyed in 1810. By A. Holmes, Dep. Sur.

West On S. side of Sec. 32. from Boundary Line.

28.00 set post cor. to sec. 31 & 32, from which  
an Elm 14 in. dia. bears N 63 E. 7 lb. dist. and  
a Beech 14 " " " S 60 W. 49 " "

West On S. side of sec. 31.

27.59 a Beech 20 in. diam.

38.74 a creek 20 lb. wide course S.

40.00 set gr. sec. post. from which  
a Beech 14 in. dia. bears N 65 E. 5 lb. dist. and  
a Do. 20 " " " N 18 W. 12 " "

46.74 a Brook 4 lb. wide course S. E.

51.64 a Beech 18 in. diam.

86.90 Intersect N & S. line between Ranges N<sup>o</sup>.  
11 & 12 E. T. 14 & 15 N. at the corner.

Over Rich level land. Timb. Beech, -  
Sugar Poplar &c. Undergrowth of Spice.  
Surveyed in 1819.

By John M<sup>c</sup>. Donald  
Deputy Surveyor.

### East Boundary.

Nov. 20<sup>th</sup> 1810.

North On E. side of sec. 36.

30.75 a Sugar 18 in. diam.

40.00 set gr. sec. post. from which  
a wh. Oak 6 in. dia. bears N 2 W. 10 lb. dist. and  
an Ironwood " " " S 32 W. 25 " "

70.50 a Sugar 8 " "

80.00 set post cor. to sec. 36 & 25, from which  
a Sugar 13 in. dia. bears S 54 W. 8 lb. dist. and  
a wh. Oak 8 " " " N 36 E. 20 " "  
Land and Timb. as above.

North On E. side of sec. 35.

33.00 a wh. Oak 50 in. diam.

37.00 a creek 60 lb. wide course S. E.



- 40.00 Set gr. sec. post, from which  
a Blue Ash 6 in. dia. bears S 12 E. 8 lks. dist. &  
a Wh. Oak 40 in. dia. " N 18 W. 34 " "
- 68.00 a creek course S. W.
- 80.00 Set post Cor. to Sec. 24 & 25, from which  
a Buckeye 7 in. dia. bears S 23 W. 11 lks. dist. and  
an Elm 30 " " " N 33 W. 14 " "  
Land and Timber as above.  
a Buckeye 8 in. diam for Post. Cor. Sec. 24 & 25.

North Cen. E. side of Sec. 24.

13.00 a Brook 6 lks. wide course E.

30.50 an Elm 24 in. diam.

40.00 Set gr. sec. post, from which  
a Buckeye 16 in. dia. bears S 55 W. 27 lks. dist. and  
a creek 8 " " " N 88 E. 38 " "  
Land, first rate Bottom. Sugar, Ash  
Buckeye, Elm. &c.

61.50 a Walnut 40 in. diam.

80.00 Set post Cor. to Sec. 13 & 24, from which  
an Elm 24 in. dia. bears S 60 E. 6 lks. dist. and  
a Thorn 6 in. " " N 50 W. 13 " "  
Land and Timber as before.

North Cen. E. side of Sec. 13.

39.65 a Walnut 50 in. diam.

40.00 Set gr. sec. post, from which  
a Buckeye 12 in. dia. bears N 27 E. 13 lks. dist. &  
a Sugar 14 " " " S 20 E. 25 " "

60.50 a Buckeye 24 in. diam.

71.00 a creek 60 lks. wide course S. E.

80.00 Set post Cor. to Sec. 12 & 13, from which  
a Buckeye 8 in. dia. bears N 68 W. 5 lks. dist. and  
a Do. 6 " " " N 85 E. 10 " "  
Land & Timber as above.

T. 15 N. R. 12 E. 2<sup>nd</sup> Mer. Indiana.

North On E. side of sec. 12.

27.50 a Blackberry 24 in. dia.

40.00 Set q. sec. post, from which  
a Blue Ash 18 in. dia. bears N 42 E, 21 lb. dist. &  
a Buckeye 8 " " " N 62 W, 13 " "

47.00 a Creek 150 lb. wide Course S. E.

80.00 Set post Cor. to Sec. 1 & 12, from which  
a Lym 14 in. dia. bears S 72 W, 29 lb. dist. and  
an Ironwood 5 " " " S 79 E, 19 " "  
Rich Bottom land. Timber, Sugar  
Ash and Elm.

North On E. side of sec. 1.

17.60 a Sugar 18 in. diam.

40.00 Set q. sec. post, from which  
a Sugar 18 in. dia. bears West 3 lb. dist. and  
a Wh. Oak 16 " " " N 48 E, 40 " "  
Rich level land. Timber Sugar Ash and  
Walnut.

43.50 an Elm 24 in. diam.

80.00 Set post Cor. to Towns. 15 & 16 North in  
Ranges 12 & 13 East, from which  
a Wh. Oak 30 in. dia. bears N 79 W, 12 lb. dist. &  
a Wh. Oak 18 " " " N 78 E, 22 " "  
Land & Timber as before.

Surveyed in 1810.

By A. Holmes  
Deputy Surveyor.

North Boundary.

West On E. side of sec. 36. T. 16 N. R. 12 E.

26.50 a Cherry 16 in. diam.

40.00 Set q. sec. post, from which  
a Wh. Oak 16 in. dia. bears N 62 E, 17 lb. dist. and  
a Sugar 6 " " " N 38 W, 22 " "

T. 15 N. R. 12 E. 2<sup>nd</sup> Mer. Indiana.

57.00 a Wh. Oak 18 in. diam.  
 80.00 Set post Cor. to Sec. 35 & 36, from which  
 a Sugar 18 in. dia. bears S 28° W. 11 lb. dist. &  
 a Sugar 6 " " " N 67° E. 14 " "  
 Land and Timber as above.

West On S. side of Sec. 35. T. 16 N. R. 12 E.  
 20.00 Creek 150 lb. wide course S.  
 Rich Bottom. Sugar Ash Elm Walnut.  
 November 21<sup>st</sup> 1810.

40.00 Set q. sec. post, from which  
 a Sugar 10 in. dia. bears N 73° E. 10 lb. dist. and  
 a Do. 10 " " " S 80° W. 25 " "

74.00 an Elm 12 in. diam.

80.00 Set post Cor. to Sec. 34 & 35, from which  
 a Beech 16 in. dia. bears S 76° E. 23 lb. dist. and  
 an Ash 24 " " " S 38° W. 10 " "  
 Rich level land. Sugar Walnut Ash  
 and Elm.

West On S. side of Sec. 34. T. 16 N. R. 12 E.

18.80 a B. Oak 30 in. diam.

40.00 Set q. sec. post, from which  
 a Beech 8 in. dia. bears S 24° W. 5 lb. dist. and  
 a Do. 10 " " " N 20° E. 18 " "

Good Oak land.

66.00 a Brook 3 lb. wide course North.

68.00 a Do. 3 " " " North.

68.50 an Elm 24 in. diam.

80.00 Set post Cor. to Sec. 33 & 34, from which  
 an Ash 30 in. diam. bears S 34° W. 25 lb. dist. and  
 a Wh. Oak 30 in. " " N 18° E. 30 " "  
 Good Oak land.

West On S. side of Sec. 33. T. 16 N. R. 12 E.

18.50 a Brook 4 lb. wide course N. W.

T. 15 N. R. 12 E. 2<sup>nd</sup> Mer. Indiana.

19.00 Intersect Boundary line 17.50 North of 35<sup>th</sup>  
Mile post. & set post, from which  
a Sugar 18 in. dia. bears N 80 E. 13<sup>1</sup>/<sub>2</sub> lk. dist. and  
a Sugar 10 " " " N 83 W. 23 " "  
Surveyed in 1810.

By. A. Holmes Dep. Sur.

West On S. side of Sec. 33. T. 16 N. R. 12 E.  
from Boundary line.

32.50 a Creek 50 lk. wide course N.E.

40.00 Set gr. Sec. post, from which  
a Sugar 18 in. dia. bears N 80 E. 27<sup>1</sup>/<sub>2</sub> lk. dist. and  
a Do. 6 " " " S 61 W. 8 " "

53.90 a Beech 24 in. diam.

77.18 a Brook 4 lk. wide course S.E.

80.00 Set post Cor. to sec. 32 & 33, from which  
a Sugar 14 in. dia. bears N 80 E. 10 lk. dist. and  
a Beech " " " N 82 W. 9 " "  
Over good farming land. Timber, —  
Beech, Sugar Ash and Spice.

West On S. side of Sec. 32. T. 16 N. R. 12 E.

18.76 a Beech 20 in. diam.

40.00 Set gr. Sec. post, from which  
a Beech 22 in. dia. bears N 8 W. 9 lk. dist. and  
an Ironwood " " " S 81 E. 12 " "

80.00 Set post Cor. to Sec. 31 & 32, from which  
a — 30 in. dia. bears N 7 E. 43<sup>1</sup>/<sub>2</sub> lk. dist. and  
a — 30 " " " S 56 W. 17 " "  
Over land same as before.

West On S. side of Sec. 31. T. 16 N. R. 12 E.

13.90 a Poplar 30 in. diam.

40.00 Set gr. Sec. post, from which  
a Beech 10 in. dia. bears N 23 W. 9 lk. dist. &  
a Sugar 12 " " " South, 13 " "



T. 15 N. R. 12 E. 2<sup>nd</sup> Mer. Indiana.

64.50 a Brook 4<sup>th</sup> wide course North.  
 70.20 an Elm 30 in. diam.  
 92.63 Intersect Range line between Ranges  
 11 & 12 East, Towns. 15 & 16 North at Cor.  
 Over good farming land. Timber Beech,  
 Sugar, Poplar &c. Mud. yth. Spice.  
 Surveyed in 1819.  
 By John M.<sup>c</sup> Donald  
 Deputy Surveyor.

## West Boundary.

Var. 6° 15' E.

North On E. side of Sec. 36. T. 15 N. R. 11 E.

34.40 a Buckeye 18 in diam.  
 40.00 Set q. sec. post, from which  
 a Beech 7 in. dia. bears N 40 E. 19<sup>th</sup> dist. and  
 a Do. 5 " " " S 22 E. 8 " "  
 62.68 a Beech 12 in. diam  
 80.00 Set post Cor. to Sec. 25 & 36, from which  
 a Beech 20 in. dia. bears S 11 E. 32<sup>th</sup> dist. and  
 a Sugar 12 " " " N 13 E. 38 " "  
 Over Rich land. Timber as before.

North On E. side of Sec. 25. T. 15 N. R. 11 E.

17.24 a Wh. Oak 40 in. diam.  
 40.00 Set q. sec. post, from which  
 a Beech 12 in. dia. bears N 70 E. 23<sup>th</sup> dist. &  
 an Ash 20 " " " S 44 W. 13 " "  
 70.00 a Brook 6<sup>th</sup> wide course E.  
 80.00 Set post Cor. to Sec. 24 & 25, from which  
 a - 8 in. dia. bears S 57 W. 5<sup>th</sup> dist. and  
 a - 12 " " " N 8 W. 28 " "  
 Over level land. Timb. as before.

North On E. side of Sec. 24. T. 15 N. R. 11 E.

20.00 a Brook 4<sup>th</sup> wide C. E.

T. 15 N. R. 12 E. 2<sup>nd</sup> Mer. Ind. 152.

41.30 a Beech 12 in. diam.  
35.00 a Brook 6 ft. wide Course E.  
40.00 Set gr. sec. post, from which  
a 14 in. diam. beech N 8 E, 14 ft. dist. and  
a Buckeye 7 in. dia. beech S 6 W, 3 ft. dist.  
50.60 a Walnut 14 " "  
80.00 Set post Cor. to sec. 13 & 24, from which  
a Buckeye 10 in. dia. beech S 7 W, 50 ft. dist. and  
a Beech 30 " " " N 85 E, 17 " "  
Over Rich land. Timber Beech Sugar  
Ash &c. Undergrowth Spice.

---

North On E. side of sec. 13. T. 15 N. R. 11 E.  
36.12 a Sugar 24 in. diam.  
40.00 Set gr. sec. post, from which  
a Sugar 12 in. dia. beech N 35 W, 26 ft. dist. and  
a Beech 18 " " " N 35 E, 5 ft. dist.  
41.50 a Do. 24 " "  
80.00 Set post Cor. to sec. 12 & 13, from wh  
a Wh. Oak 14 in. dia. beech S 26 E, 10 ft. dist.  
a Syc 18 " " " N 9 E, 19 " "  
Over good farming land. Timber  
Oak, Sugar Beech &c.

---

North On E. side of sec. 12. T. 15 N. R. 11 E.  
11.24 an Oak 36 in. diam.  
40.00 Set gr. sec. post, from which  
a Sugar 10 in. dia. beech S 15 W, 12 ft. dist. &  
a Do. 9 " " " N 5 W, 27 " "  
70.30 a Beech 14 in. diam.  
80.00 Set post Cor. to sec. 1 & 12, from which  
a Sugar 14 in. dia. beech S 48 W, 33 ft. dist.  
an Oak 7 " " " N 24 E, 5 " "  
Over Land as before.

---

North On E. side of sec. 1. T. 15 N. R. 11 E.

28.28	a Lym 14 in. diam.
40.00	Set gr. sec. post, from which a Sugar 6 in. dia. bears S 10 E. 14 lks. dist. and a Beech 10 " " " N 39 E. 10 " "
74.03	Set post Cor. of Towns N <sup>o</sup> . 15 & 16 North Ranges 11 & 12 East, from which a Sugar 11 in. dia. bears N 88 W. 17 lks. dist. & a Beech 12 " " " S 95 E. 28 " " Over level land. Timber Beech &c. July 14 <sup>th</sup> 1819. Surveyed by John M <sup>c</sup> . Donald, Deputy Surveyor.

## Subdivision.

Beginning at the S.E. of T. 15 N. R. 12 E.

West On the Town Line.

40.00 gr. sec. post.

80.00 section post Cor. of sect. 35 &amp; 36.

North Between Sections 35 &amp; 36.

17.60 a Beech 18 in. diam.

39.15 a stream 10 lks. wide Course N.E.

40.00 Set gr. sec. post, from which  
a Beech 12 in. dia. bears S 5 E. 10 lks. dist. and  
a Hickory 9 " " " N 30 W. 14 " "

57.00 a Sugar 20 " "

80.00 Set post Cor. of sect. 25, 26, 35 & 36, fr. wh.  
a Poplar 75 in. diam. bears N 18 E. 14 lks. dist. &  
a Ash 12 " " " S 3 E. 15 " "  
Timber Beech Poplar Sugar &c. Some  
uneven good farming land.

East On Random Between Sect. 25 &amp; 36.

2.86 a Spring Branch course N.E.

40.00 Set temp. gr. sec. post.

T. 15 N. R. 12 E. 2<sup>nd</sup> Mer. Indiana. 154.

80.00 Intersect Range line 25<sup>th</sup> N. of post.  
Land, level Soil Rich. Timb. Beech  
Ash, Sugar &c.

---

West Correct line betw<sup>g</sup> sec. 25 & 26.

40.00 Set gr. sec. post. from which  
a Beech 14 in. dia. bears S 55<sup>th</sup> W. 11<sup>th</sup> N. dist. &  
a Do. 24 " " " S 46<sup>th</sup> E. 142 " "

80.00 Section Corner.

---

North Between sections 25 & 26.

3.25 a Spring Branch Course S. E.

44.12 a Beech 10 in. diam.

40.00 Set gr. sec. post. from which  
a Beech 14 in. dia. bears S 27<sup>th</sup> W. 21<sup>th</sup> N. dist. &  
a Beech 16 " " " N 12<sup>th</sup> E. 33 " "

53.00 a Sugar 14 " "

80.00 Set post cor. to Sec. 23, 24, 25 & 26, from wh.  
a Sugar 20 in. dia. bears N 40<sup>th</sup> E. 29<sup>th</sup> N. dist. &  
a Beech 12 " " " S 30<sup>th</sup> W. 18 " "  
Timb. Beech, Ash, Oak, Sugar &c.  
Land, level good for farming.

---

East On Range Between sec. 24 & 25.

9.00 a Spring Branch 6<sup>th</sup> N. wide crs. N. E.

40.00 Set temp. gr. sec. post. of

80.00 Intersect N & S line 81<sup>th</sup> N. of post.  
Timber, Beech, Ash, Oak &c.  
Level good farming land.

---

West Between sec. 24 & 25 (Corrected line.)

40.00 set gr. sec. post. from which  
an Ironwood 4 in. dia. bears N 11<sup>th</sup> E. 14<sup>th</sup> N. dist. &  
a Beech 7 in. dia. bears S 18<sup>th</sup> W. 15<sup>th</sup> N. dist.

80.00 Section cor.

February 27<sup>th</sup> 1871.



T. 15 N. R. 12 E. 2<sup>nd</sup> Mer. Indiana.

North Between sec. 23 &amp; 24.

14.24 a Sugar 12 in. diam.

34.40 a stream 15 ft. wide Course East.

40.00 Set q. sec. post, from which  
a Beech 30 in. dia. bears N 65 W. 32 ft. dist. X  
a Beech 16 " " " S 67 E. 7 " "

67.12 a Beech 18 " "

78.50 To Line of Vincennes Road.

80.00 Set post cor. of sec. 13, 14, 23 & 24, from which  
a Sugar 6 in. diam. bears S 65 W. 40 ft. dist. X  
a Beech 40 " " " N 37 W. 8 " "

Timb. Beech, Ash Sugar &amp;c.

Level good farming land.

East On Random between sec. 13 &amp; 24.

40.00 set temp. q. sec. post.

80.30 Intersect Range line 93 ft. N of post.  
Land level soil good. Timb. Beech,  
Ash Sugar Elm, &c.West Correct line betw<sup>en</sup> sec. 13 & 24.40.15 Set q. sec. post, from which  
a Hickory 10 in. dia. bears N 50 E. 7 ft. dist. X  
an Iron wood 5 " " " S 50 W. 10 " "

80.30 Section Corner.

North Between sections 13 &amp; 14.

19.00 an Elm 60 in. diam.

40.00 Set q. sec. post, from which  
a Beech 9 in. dia. bears S 53 E. 10 ft. dist. X  
a White Beech 6 in. dia. " North 32 " "

57.00 a Beech 15 " "

80.00 Set post cor. to sec. 11, 12, 13 & 14, from wh.  
a Hackberry 12 in. dia. bears S 54 W. 9 ft. dist. X  
a Buckeye 10 " " " N 17 W. 19 " "  
Timb. Beech, Ash Elm, Hackberry and

W. 1/2 Sec. 12. Walnut &c. Level soil & Rich.

East On Random between Sec. 12 & 13.

40.00 Set temp. gr. sec. post.

52.00 Enter Prairie

68.26 crossing Branch Course S.E.

72.00 across the Prairie

80.10 Intersect Range line 129<sup>th</sup> N. North  
of post. Limb. Beech Ash, Sugar &c.  
Land level soil rich.

West Correct line between Sec. 12 & 13.

40.05 Set gr. sec. post, from which  
a Sugar 12 in. dia. bearing N 75° W. 11<sup>th</sup> Ch. dist.  
a Beech 30 " " " N 12° E. 22 " "

80.10 Section corner.

February 28<sup>th</sup> 1811. -

North Between sections 11 & 12.

13.75 a Beech 20 in. diam.

40.00 Set gr. sec. post, from which  
a Sugar 7 in. dia. bearing S 65° W. 21<sup>th</sup> Ch. dist.  
a Sugar 15 " " " N 41° W. 8 " "

63.00 a Walnut 20 in. diam.

80.00 Set post Cor. to Sec. 1, 2, 11 & 12, from wh.  
a Beech 8 in. dia. bearing N 70° E. 27<sup>th</sup> Ch. dist.  
a Sugar 7 " " " West 6<sup>th</sup> Ch. dist.  
Level good farming land.  
Timber, Beech Ash, Elm Sugar &c.

East On Random between Sec. 11 & 12.

16.60 a stream 130<sup>th</sup> Ch. wide Course S.E.

37.75 a Do. 100 " " " " N.E.

40.00 Set temp. gr. sec. post.

67.40 a stream 125<sup>th</sup> Ch. wide Course S.E.

80.00 Intersect Range line 148<sup>th</sup> Ch. N. of post.

Ch. 40. Timber Beech, Ash, Sugar &c.  
level good farming land.

---

West correct line between sec. 1 & 12.  
40.00 set gr. sec. post, from which  
a Buckeye 4 in. dia. bears N 88 E. 31 Ch. dist. X  
an Oak 20 " " " S 44 W. 38 " "  
80.00 Section corner.

---

North Between sections 1 & 2. Round line  
40.00 set temp'y. gr. sec. post.  
49.40 a stream 50 Ch. wide course S. E.  
78.43 Intersect E. & W. line or N. Boundary 16 Ch. W.  
of post. Level good farming land.  
Timber, Beech Ash, Oak Sugar, &c.

---

South correct line between sec. 1 & 2.  
38.43 set gr. sec. post, from which  
a Buckeye 5 in. diam. bears N 13 W. 12 Ch. dist. X  
a Do. 6 " " " S 76 W. 11 " "  
78.43 Section corner.

---

North Between Sec. 34 & 35.  
30.25 a Beech 10 in. diam.  
40.00 set gr. sec. post, from which  
an Ash 18 in. dia. bears N 68 W. 18 Ch. dist. X  
a Beech 15 " " " S 63 E. 12 " "  
45.40 a Spring Branch course S. W.  
53.10 a Sugar 18 in. diam.  
80.00 set post cor. to Sec. 26, 27, 34 & 35. for wh.  
a Sugar 24 in. dia. bears S 62 E. 22 Ch. dist. X  
a Beech 5 " " " N 58 W. 14 " "  
Level good farming land.  
Timber, Beech, Ash Oak Elm &c.  
March 1<sup>st</sup> 1811.

---

East On Random betw<sup>n</sup> Secs. 26 & 35.

40.00 Set temp<sup>y</sup>. gr. Sec. post.

49.00 a Spring Branch Course S.E.

79.90 Intersect N & S line at post.

Some uneven good farming land.

Timb<sup>r</sup>. Beech, Ash Poplar Sugar &c.

West Correct line betw<sup>n</sup> Secs. 26 & 35.

39.95 Set gr. Sec. post, from which

a Beech 12 in. diam. bears S 29 E. 25 lks. dist.

a Do. 15 " " " N 21 W. 8 " "

79.90 Section corner.

North Between Sections 26 & 27.

4.50 a Spring Branch Course E.

17.35 a Sugar 13 in. diam.

40.00 Set gr. Sec. post, from which

a Beech 6 in. dia. bears S 40 W. 13 lks. dist.

a Sugar 5 " " " N 28 W. 3 " "

53.13 a Beech 10 " "

80.00 Set post Cor. to Secs. 22, 23, 26 & 27. fr. wh.

a Beech 8 in. dia. bears S 21 E. 21 lks. dist. and

a Do. 6 " " " S 88 W. 2 " "

Timb<sup>r</sup>. Beech, Ash, Poplar Sugar &c.

Some uneven good farming land.

East On Random betw<sup>n</sup> Secs. 23 & 26.

40.00 Set temp<sup>y</sup>. gr. Sec. post.

80.00 Intersect N & S line 9 lks. N. of post.

Timber, Beech Ash Poplar Sugar &c.

Level good farming land.

West Correct line betw<sup>n</sup> Secs. 23 & 26.

40.00 Set gr. Sec. post, from which

a Sugar 10 in. dia. bears N 66 E. 19 lks. dist.

a Sugar 14 " " " S 29 W. 11 " "



159.

T. 15 N. R. 12 E. 2<sup>nd</sup> Mer. Indiana.

80.00 Section Corner.

North Between Sections 22 &amp; 23.

23.43 at stream 10 ch. wide Course E.

31.18 at Beech 14 in. diam.

40.00 set q. sec. post, from which  
a Buckeye 12 in. diam. bears N 50 W. 9 ch. dist. &  
an Elm 20 " " " N 48 E. 29 " "

59.20 a Sugar 12 " "

73.40 a Spring Branch East.

78.50 To Line of Vincennes Road.

80.00 set post cor. of sec. 14, 15, 22 & 23, fr. wh.  
a Buckeye 14 in. diam. bears N 89 W. 21 ch. dist. &  
a Do. 9 " " " S 60 E. 25 " "  
Timb. Beech, Ash Elm Sugar &c.  
Level good farming land.March 2<sup>nd</sup> 1811. —

East On Random between Sect 14 &amp; 23.

34.40 a Spring Branch Course N. E.

40.00 Set temp. q. sec. post.

49.25 a Spring Branch Course S. E.

49.50 at stream 15 ch. wide Course S. 10 E.

79.92 Intersect N &amp; S. line 14 ch. N. of post.

Timb. Beech, Ash Sugar &c.  
Land, level Soil good.

West Correct line between Sect 14 &amp; 23.

39.96 set q. sec. post, from which  
a Sugar 9 in. dia. bears S 39 W. 40 ch. dist. &  
a Wh. Ash 15 in. dia. " N 50 W. 30 " "

79.92 Section Corner.

North Between Sect 14 &amp; 15.

14.24 a Sugar 13 in. diam.

31.00 at stream 15 ch. wide Course East.

T. 15 N. R. 12 E. 2<sup>nd</sup> Mer. Indiana 160.

40.00 Set gr. Sec. post, from which  
a Sugar 12 in. dia. bears S 8<sup>th</sup> W. 17<sup>th</sup> Lk. dist. &  
a Do. 8 " " " N 10 E. 35 " "  
67.25 a Beech 10 in. diam.  
80.00 Set post cor. to sec. 10, 11, 14 & 15, fr. which  
a Beech 20 in. dia. bears N 74 W. 20 Lk. dist. &  
a Do. 15 " " " S 74 E. 22 " "  
Timb. Beech Ash Poplar Sugar &c.  
Level good farming land.

---

East On Random betw<sup>n</sup> Sec. 11 & 14.

40.00 Set temp<sup>y</sup> gr. Sec. post.  
80.08 Intersect N & E. line 7 Lk. S. of post.  
Timb. Beech Ash, Elm Sugar &c.  
Level good farming land.

---

West Correct line betw<sup>n</sup> Sec. 11 & 14.

40.04 Set gr. Sec. post, from which  
a Poplar 36 in. dia. bears S 61 W. 7 Lk. dist. &  
a Sugar 4 " " " N 89 E. 28 " "  
80.08 Section Corner.

---

North Between sections 10 & 11.

17.30 a Poplar 20 in. diam.  
40.00 Set gr. Sec. post, from which  
a Beech 12 in. dia. bears S 26 E. 20 Lk. dist. &  
a Beech 5 " " " N 9 E. 30 " "  
52.90 a Spring Branch Course S. E.  
71.15 a Beech 15 in. diam.  
80.00 Set post cor. to sec. 2, 3, 10 & 11, fr. wh.  
a Beech 20 in. dia. bears S 65 W. 21 Lk. dist. &  
a Beech 16 " " " N 23 E. 15 " "  
Timb. Beech, Ash, Sugar &c.  
Meven good farming land.

---

East On Random betw<sup>n</sup> Sec. 2 & 11.

T. 15 N. R. 12 E. 2<sup>nd</sup> Mer. Indiana.

40.00 set temp. q. sec. post.  
 80.13 Intersect N & S. line 8<sup>th</sup> l. S. of post.  
 Timb. Beech, Poplar, Ash Sugar &c.  
 Level good farming land.

West Correct line between sec. 2 & 11.  
 40.06 set q. sec. post. from which  
 a Sugar 5 in. dia. bears N 61 W. 6 l. dist. &  
 a Beech 20 " " " N 66 E. 9 " "  
 80.13 sec. cor. March 3<sup>rd</sup> 1811.

North On Hand<sup>g</sup>: Between sec. 2 & 3.  
 33.75 a Spring Branch Course N.E.  
 40.00 set temp. q. sec. post.  
 78.95 Intersect N. Boundary 20 l. W. of post.  
 Timb. Beech Ash, Poplar Sugar &c.  
 Uneven Soil good.

South Correct line between sec. 2 & 3.  
 38.95 set q. sec. post. from which  
 an Ironwood 5 in. dia. bears S 52 W. 9 l. dist.  
 a Dogwood 3 " " " N 35 E. 9 " "  
 78.95 section corner.

North Between sections 33 & 34.  
 2.75 a Spring Branch Course S 20 W.  
 17.60 a Beech 10 in. diam.  
 40.00 set q. sec. post. from which  
 an Ash 20 in. dia. bears N 45 E. 7 l. dist. and  
 an Ash 16 " " " N 28 W. 11 " "  
 46.28 a Spring Branch Course East.  
 53.80 a Do. " " "  
 62.12 a Sugar 14 in. diam.  
 73.04 a stream 15 l. wide Course S 50 E.  
 80.00 set post cor. to sec. 27, 28 33 & 34, fr. wh.  
 a Beech 16 in. dia. bears S 35 E. 13 l. dist. &

T. 15 N. R. 12 E. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

Ch. Sh. an Ash 9 in. dia. bears N 65 W. 51 lb. dist.  
 Timber, Beech, Ash, Elm, Sugar &c.  
 Level good farming land.

East On Random betw<sup>n</sup> Sec. 27 & 34.  
 8.80 a stream 12 lb. wide course S.E.  
 40.00 set gr. sec. post, (temporary)  
 80.06 Intersect N & E. line 4 lb. N. of post.  
 Timber Beech, Ash Elm Sugar &c.  
 Some uneven good farming land.

West Corner line betw<sup>n</sup> Sec. 27 & 34.  
 40.03 set gr. sec. post, from which  
 a Sugar 7 in. dia. bears S 47 E. 11 lb. dist. and  
 a Poplar 36 " " North, one lb. dist.  
 80.06 Section corner.

North Between Sec. 27 & 28.  
 12.16 a Sugar 20 in. diam.  
 40.00 set gr. sec. post, from which  
 a Beech 15 in. dia. bears S 76 W. 25 lb. dist. }  
 a Do. 20 " " " N 13 W. 16 " " }  
 49.10 a Beech 12 " "  
 78.00 a Spring Branch Course S.E.  
 80.00 Set post cor. of Sec. 21, 22, 27 & 28, fr. wh.  
 a Beech 7 in. dia. bears S 37 W. 9 lb. dist. and  
 a Beech 6 " " " N 34 W. 15 " "  
 Timber Beech, Ash, Sugar & Poplar  
 Some uneven good farming land.  
 March 4<sup>th</sup> 1811.

East On Random between Sec. 22 & 27.  
 10.00 a Spring Branch 10 lb. wide c. S.  
 40.00 set gr. sec. temp. post.  
 80.12 Intersect N & E. line 14 lb. N. of post.  
 Timber Beech Ash Elm Sugar &c.



T. 15 N. R. 12 E. 2<sup>nd</sup> Mer. Indiana.

Ch. W. Some uneven good farming land.

West Correct line between Sec. 22 & 27.

40.06 Set q. sec. post. from which  
a Beech 9 in. dia. bears West 23 lk. dist. &  
an Elm 28 " " " S 50 E. 14 " "

80.12 Section corner.

North Between Sections 21 & 22.

14.00 a Sugar 14 in. diam.

32.25 a Spring Branch Course S.E.

40.00 Set q. sec. post. from which  
a Beech 8 in. dia. bears N 39 E. 10 lk. dist. &  
a Do. 18 " " " N 26 W. 27 " "

65.50 a Spring Branch Course E.

71.00 a Beech 11 in. diam.

80.00 Set post Cor. to Sec. 15, 16, 21 & 22, fr. wh.  
(at the line of Vincennes Road)  
a Beech 48 in. dia. bears S 68 W. 8 lk. dist.  
a Do 10 " " " N 16 E. 21 " "  
Timb. Beech, Ash, Elm, Poplar, Oak  
Sugar &c. Some uneven good farming  
Land.

East An Random between Sec. 15 & 22.

28.00 a Spring Branch Course South.

40.00 Set temp. q. sec. post.

80.00 Intersect N & S line 8 lk. North of post.  
Timber, Beech, Ash, Elm, Poplar &  
Sugar &c. Level good farming land.

West Correct line between Sec. 15 & 22.

40.00 Set q. sec. post. from which  
a Sugar 9 in. dia. bears N 29 W. 33 lk. dist. &  
a Beech 24 " " " N 36 E. 28 " "

80.00 Section corner.

S. 15 N. R. 12 E. 2<sup>nd</sup> Mer. Indiana.

164.

West Between Secs 16 & 21.

24.18 a Beech 14 in. diam.

40.00 Set q. sec. post. from which  
a Water Beech 8 in. dia. bears S 2 W. 15 lb. dist. )  
a Do. 8 " " " N 72 W. 17 " "

53.20 an Elm 15 " "

72.55 Intersect Boundary line & set post. fr. wh.  
a Sugar 9 in. dia. bears N 5 W. 25 lb. dist. )  
a Beech 10 in. dia. " S 3 W. 14 " "

Timb. Beech, Ash Elm Hickory and  
Sugar &c. best good farming land.  
March 5<sup>th</sup> 1811.

---

North Between Sections 15 & 16.

29.50 a stream 10 lb. wide Course East

32.20 a Beech 24 in. diam.

40.00 Set q. sec. post. from which  
a Sugar 10 in. dia. bears S 4 W. 9 lb. dist. )  
a Beech 10 " " " N 25 E. 14 " "

64.00 a Wh. Oak 12 in. diam.

73.80 a Spring Branch S 40 E.

80.00 Set post Cor. to Secs 9, 10, 15 & 16, from wh.  
a Sugar 5 in. dia. bears N 22 W. 8 lb. dist. )  
a Sugar 4 " " " S 12 E. 20 " "  
Some uneven good farming land.

---

East On Random betw<sup>n</sup> Secs 10 & 15.

16.25 a Spring Branch Course South.

40.00 Set q. sec. post. from which temp.

64.00 a Spring Branch Course South.

79.76 Intersect N & S line 8 lb. W. of post.

Timb. Beech, Ash, Oak Sugar &c.  
Over Willy Land Soil good.

---

West Correct line betw<sup>n</sup> Secs 10 & 15.

39.88 Set q. sec. post. from which

T. 15 N. R. 12 E. 2<sup>nd</sup> Mer. Indiana.

ch? H? a Water Beech 3 in. dia. bears N 22 E 14 W dist.  
 & a Sugar 4 in. dia. bears S 62 W 25 " "  
 79.76 Section corner.

West Between Sections 9 & 16.

24.60 an Ash 12 in. diam.  
 40.00 set gr. sec. post. from which  
 an Ash 9 in. dia. bears N 16 W 10 W dist. X  
 a Sugar 4 " " " N 70 E 10 " "  
 41.20 a Wh. Oak 50 in. diam.  
 54.48 Intersect Boundary line and set a  
 post. from which  
 a Sugar 10 in. dia. bears S 33 W 22 W dist. X  
 a Sugar 12 " " " N 19 E 15 " "  
 Timber: Beech, Oak Hickory Sugar  
 &c. Level good farming land.

North Between Sec? 9 & 10.

13.10 a Sugar 10 in. diam.  
 28.75 a Spring Branch S 30 E.  
 40.00 set gr. sec. post. from which  
 a Sugar 12 in. dia. bears S 13 W 14 W dist. X  
 a Beech 10 " " " N 71 E 8 " "  
 47.50 a Sugar 20 in. diam.  
 76.75 a Spring Branch N 15 W.  
 80.00 set post cor. of Secs 3, 4, 9 & 10. fr. wh.  
 a Beech 7 in. dia. bears S 45 W 14 W dist. X  
 a Do. 10 " " " N 61 E 33 " "  
 Timber: Beech, Ash Oak, Hickory  
 Poplar & Sugar. Uneven good  
 farming land.

East On Random betw<sup>n</sup> Secs 3 & 10.

40.00 set gr. sec. post. from which  
 79.60 Intersect N & E line at post.  
 Timber Beech, Ash, Oak Sugar &c.

166.

T. 15 N. R. 12 E. 2<sup>nd</sup> Mer. Indiana.

Ch. 4th. Over hilly land - soil good.

---

West Corner line between Sec. 3 & 10.

39.80 Set q. Sec. post, from which  
a Beech 9 in. dia. bears S 92 W. 10 lks. dist.  
& Do. 9 " " " S 22 W. 10 " "

79.60 Section corner.

---

West Between sections 4 & 9.

1.60 adding Branch N 15 W.

24.12 a Beech 20 in. diam.

39.00 Intersect Boundary line & set a post,  
at intersection from which  
an Ironwood 4 in. dia. bears S 86 W. 5 lks. dist.  
an Ash 20 in. dia. " N 26 E. 8 " "  
Timb. Beech Ash Oak Hickory &c.  
Uneven good farming land.  
March 6<sup>th</sup> 1811.

---

North Between Sec. 3 & 4. On Random

8.75 a Spring Branch course N. E.

19.75 a Do. Do. " N. W.

40.00 Set q. Sec. post, from which Temp. g.

79.00 Intersect N. Boundary 16 lks. E. of post.

Timb. Beech Ash Oak Sugar and  
Land some uneven, good soil.

---

South Corner line betw<sup>n</sup> sec. 3 & 4.

39.00 Set q. Sec. post, from which  
a Sugar 10 in. dia. bears S 33 W. 8 lks. dist.  
a Beech 5 " " " N 33 E. 8 " "

79.00 Section corner.

---

North Between sections 32 & 33.

5.00 a Small Deer Lick

23.40 a Beech 20 in. diam.



167.

T. 15 N. R. 12 E. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

C. L.  
 40.00 set gr. sec. post, from which  
 a Sugar 20 in. dia. bears N 3 E. 9 lb. dist. &  
 a Do. 12 " " " S 62 W. 22 " "  
 66.30 a Stream 8 lb. wide Course N.E.  
 71.70 a Sugar 10 in. diam.  
 80.00 set post Cor. to Sec 28, 29, 32 & 33, fr. wh.  
 a Beech 5 in. dia. bears N 73 E. 6 lb. dist. &  
 a Sugar 10 " " " S 11 W. 11 " "  
 Timber: Beech, Ash Oak Sugar Elm  
 and Poplar level good farming  
 land.

---

East On Random betw<sup>n</sup> Sec. 28 & 33.

2.50 a spring Branch 8 lb. wide C.N.E.  
 40.00 set temp<sup>y</sup>. gr. sec. post.  
 69.25 a stream 10 lb. wide Course S.  
 80.00 Intersect N & S. line at post.  
 Timber Beech, Ash, Oak, Sugar &c.  
 Level good farming land.

---

West correct line between Sec. 28 & 33.

40.00 set gr. sec. post. from which  
 a Beech 24 in. dia. bears N 4 W. 17 lb. dist. and  
 a Do. 18 " " " S 4 E. 33 " "  
 80.00 Section corner.

---

West Between sections 29 & 32.

14.50 a Beech 10 in. diam.  
 29.50 a spring Branch Course S.E.  
 33.50 Intersect Boundary Line and set post  
 at intersection, from which  
 a Sugar 4 in. dia. bears N 32 E. 11 lb. dist. &  
 a Do. 6 " " " N 84 W. 19 " "  
 Timber: Beech Ash Oak Elm Sugar  
 &c. Level good farming land.  
 March 7<sup>th</sup> 1811.

North Between Sec. 28 & 29.

- 14.50 a Sugar 16 in. diam.  
 23.25 a Spring Branch Course S.E.  
 40.00 set gr. sec. post, from which  
 a Sugar 9 in. dia. bears N 46 E, 17 lks. dist.,  
 & a Beech 48 " " " S 29 W, 10 " "  
 41.00 a Spring Branch Course E.  
 57.20 a Wh. Oak 20 in. diam.  
 74.00 a Spring Branch Course East.  
 80.00 set post cor. to sec. 20, 21, 28 & 29, fr. wh.  
 an Elm 18 in. dia. bears S 2 W, 27 lks. dist., &  
 a Water Beech 3 in. " " N 74 W, 20 " "  
 Timb. Beech, Ash, Elm, Poplar.  
 Level good farming land.
- 

East On Random between Sec. 21 & 28.

- .50 a Spring Branch 5 lks. wide c. S.E.  
 19.75 a stream 10 lks. wide Course S.  
 40.00 set temp. gr. sec. post,  
 74.00 a Spring Branch Course S.E.  
 79.83 Intersect N & S. line 9 lks. E. of post.  
 Timb. Beech, Ash, Oak, Sugar &c.  
 Land, level soil good.
- 

West correct line betw<sup>n</sup> Sec. 21 & 28.

- 39.91 set gr. sec. post. from which  
 a Beech 10 in. dia. bears N 18 W, 18 lks. dist.  
 a Beech 14 " " " S 36 E, 26 " "  
 79.63 Section Corner.
- 

West Between Sections 20 & 29.

- 14.65 Intersect Boundary line & set a post  
 at intersection from which  
 a Sugar 15 in. dia. bears N 80 W, 13 lks. dist., &  
 a Gr. 10 " " " S 79 E, 19 " "  
 Timb. Beech, Ash, Sugar &c.

T. 15 N. R. 12 E. 2<sup>nd</sup> Mer. Indiana.

ch. Lk. Level good farming land.

North Between Sections 20 & 21.

- .10 aspring Branch Course S.E.  
 23.16 a Sugar 15 in. diam.  
 40.00 Set gr. sec. post, from which  
     a Beech 10 in. dia. bears S 39 E. 21 lks. dist. &  
     a Do. 10 " " " N 77 W. 28 " "  
 47.00 a Sugar 9 in. diam.  
 60.65 Line of Vincennes Road.  
 61.79 Intersect Boundary line; set a post  
     at intersection from which  
     a Beech 15 in. dia. bears N 46 W. 10 lks. dist. &  
     a Hickory " " " N 75 E. 32 " "  
     Timber Beech Ash Poplar Hickory  
     Sugar &c. Good farming land.  
     March 8<sup>th</sup> 1844.

Surveyed by

John G. Macan,  
 Deputy Surveyor.

North Between Sects 31 & 32. from Boundary.

- 10.00 a No. Elm 12 in. diam.  
 18.00 a Sugar 18 " "  
 40.00 Set gr. sec. post, from which  
     a Sugar - in. dia. bears N 30 W. 6 lks. dist. &  
     a Beech - " " " N 40 E. 14 " "  
 63.00 a Sugar 12 in. diam.  
 80.00 Set post cor to Sects 29, 30, 31 & 32, fr. wh.  
     a Beech 9 in. dia. bears N 20 W. 18 lks. dist. &  
     a Beech = " " " S 20 E. 18 " "  
     Land, level 2<sup>nd</sup> rate. Timber Beech  
     Ash Sugar B. Walnut &c.

East On Prandon between Sects 29 & 32.

- 40.00 Set campy. gr. sec. post.

T. 15 N. R. 12 E. 2<sup>nd</sup> Mer. Ind. 4<sup>th</sup>

46.50 Intersect Boundary line 1 ch. & 23 Ch. S. of post. Land, level 2<sup>nd</sup> rate. Timber: Beech Ash Sugar &c. Undergrowth spice.

---

West corner line betw<sup>n</sup> sec. 29 & 32.

24.00 a Beech 18 in. diam.

41.00 a Sugar 12 " "

46.50 Sec. corner.

---

North Between Sec. 29 & 30.

17.00 a Beech 12 in. diam.

40.00 Set q. sec. post, from which a Hickory 12 in. diam. bears West 20 Ch. dist. X

56.50 an Ash 18 " "

68.50 a Sugar 12 " "

80.00 set post cor. to sec. 19, 20, 29 & 30, from which a Hackberry 15 in. diam. bears E. 3 Ch. dist. Y  
a Beech 8 " " " N. 15 " "  
Land, level and good. Timber Beech Ash Sugar &c. Undergrowth spice &c.

---

East On Random between sec. 20 & 29.

40.00 Set temp. q. sec. post.

63.50 Intersect Boundary line 34 Ch. S. of post. Land, level and rich. Timber: Beech, Ash Sugar Bl. Walnut Ash &c.

---

West corner line betw<sup>n</sup> sec. 20 & 29.

16.00 a Sugar 12 in. diam.

40.00 a Do. 8 " "

63.50 Section corner.

---

North Between Sections 19 & 20.

16.00 a Beech 20 in. diam.

40.00 Set q. sec. post, from which



T. 15 N. R. 12 E. 2<sup>nd</sup> Mer. Indiana.

Ch. H. on Elm 12 in. diam. bearing E. 12 1/2 Ch. dist. &  
 va B. Oak 24 " " " N 45 W. 15 " "  
 36.00 a Beech 18 " "  
 64.00 on Ash 30 " "  
 80.00 Set post Cor. to Secs. 17, 18, 19 & 20, fr. wh.  
 a Beech 12 in. diam. bearing S 45 E 30 Ch. dist. &  
 a Do. 5 " " " W. 5 " "  
 Timber Beech Ash &c. Landrich  
 Undergrowth Spice &c.

---

East On Random between Secs. 17 & 20.

40.00 Set q. Sec. Temp. post.  
 80.00 Intersect N & S line 1 ch. 75 Ch. South of post.  
 Land, level 2<sup>nd</sup> rate. Timber Ash, Beech  
 Sugar &c. Undergrowth. Spice &c.

---

West correct line between Secs. 17 & 20.

24.50 a Beech 18 in. diam.  
 40.00 Set q. Sec. post. from which  
 a Beech - in. diam. bearing E. 5 Ch. dist. &  
 a Do. 3 " " " N 45 W. 6 " "  
 60.00 a Do. 8 " "  
 80.00 Sec. Cor.

---

North Between Sections 20 & 21.

Corner on Boundary 70 Ch. S. of corner  
 17.50 Set post Cor. to Secs. 16, 17, 20 & 21. fr. which  
 a Blue Ash 18 in. diam. bearing East 10 Ch. dist. &  
 a Beech 10 " " " N 10 W. 8 " "  
 Land, level and 2<sup>nd</sup> rate. Tim.  
 Beech Ash Sugar Poplar &c.  
 Undergrowth of Spice &c.

---

East Between Secs. 16 & 21.

4.00 Intersect Boundary line at Corner

---

172.

T.B.N. Sec. 12 E. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

Ch<sup>2</sup> 4<sup>th</sup>

North Between sec. 16 & 17.

20.00 a Beech 12 in. diam.

40.00 Set gr. sec. post. from which  
a Beech 6 in. diam. bears E. 4 lks. dist. and  
a Do. 12 " " " N 30 W 15 lks. dist.

65.00 a Hickory 20 in. diam.

80.00 Set post cor. to sec. 8, 9, 16 & 17, from which  
a Sugar 9 in. diam. bears East 35 lks. dist. &  
a Beech 15 " " " North 4 " "  
Land, level 2<sup>nd</sup> rate. Timber Beech  
Ash, Sugar &c. and 8th. of pine.

---

East On Random betw<sup>n</sup> sec. 9 & 16.

22.75 Intersect Boundary 21 lks. S. of post.  
Land, 3<sup>d</sup> rate. Timber Beech &  
Hickory &c.

---

West Correct line betw<sup>n</sup> sec. 9 & 16.

11.00 a Poplar 30 in. diam.

22.75 Section corner.

---

North Between Sec. 8 & 9.

23.00 a Wh. Oak 36 in. diam.

40.00 Set gr. sec. post. from which  
an Ash 14 in. diam. bears South 16 lks. dist. &  
a Beech 18 " " " East 30 " "

65.00 a Do. 18 " "

80.00 Set post cor. to sec. 4, 5, 8 & 9, from which  
a Sugar 5 in. diam. bears N 60 E. 3 lks. dist. &  
a Dogwood 10 in. " " South 12 " "  
Land uneven and poor. Timber White Oak  
Beech Hickory &c. and a growth of  
pine &c.

---

East On Random betw<sup>n</sup> sec. 4 & 9.

45.25 Intersect Boundary line 62 lks. N. of post.

T. 15 N. R. 12 E. 2<sup>nd</sup> Mer. Indiana.

Ch. Sh. Land hilly and poor. Tim. Beech.  
Sugar Hickory And. 8th. Spice.

---

West corner line between sec. 4 & 9.

22.00 a Beech 24 in. diam.

34.00 a Sugar 12 " "

45.25 Section Corner.

---

North Between sections 4 & 5.

11.00 a Sugar 24 in. diam.

39.00 a Creek 25 Ch. wide Course S 45 E.

40.00 Set gr. See post. from which  
a Wh. Oak 18 in. diam. bears South 13 Ch. dist.  
a Sugar 4 in. diam. bears S 5 W. 15 Ch. dist.

50.00 a Sugar 18 in. diam.

81.50 Intersect N. Boundary 65 Ch. E. of post. &  
Set post Cor. to Sec. 4 & 5. from which  
a Buckeye 8 in. dia. bears East 5 Ch. dist. &  
an Ironwood 6 in. " " West 8 " "  
Land, 2<sup>nd</sup> rate hilly Tim. Beech  
Ash &c. And. 8th. Spice &c.

---

North Between sections 17 & 18.

19.50 a Swamp Ash 8 in. diam.

40.00 Set gr. See post. from which  
a Hickory 30 in. dia. bears West 25 Ch. dist. &  
a swp. Ash 18 " " North 6 " "

62.50 a Poplar 24 " "

80.00 Set post Cor. to Sec. 7, 8, 17 & 18, from wh.  
a Beech 10 in. diam. bears West 10 Ch. dist.  
a Do. 10 " " N 45 E. 10 " "

Land, low and wet. Timber  
Swamp Ash Beech Sugar and  
Hickory; Undergrowth of Spice.

---

East on Random between Sec. 8 & 17.

174.

T. 15 N. R. 12 E. 2<sup>nd</sup> Mer. Indiana.

40.00 Set gr. sec. post, (temporary.)  
80.50 Intersected N & S. line 116 lks. E. of post.  
Land, level 2<sup>nd</sup> rate. Timber  
Beech Ash Poplar Sugar &c.  
Undergrowth of spice.

---

West Correct line between sec. 8 & 17.  
20.00 a 14. Oak 30 in. diam.  
40.50 Set gr. sec. post, from which  
an Ash 5 in. diam. bears East 6 lks. dist. &  
an Elm 9 " " " W. 12 " "  
62.00 a Beech 24 in. diam.  
80.50 Section Corner.

---

North Between Sec. 7 & 8.  
15.50 a Beech 11 in. diam.  
40.00 Set gr. sec. post, from which  
a Beech 12 in. diam. bears West 8 lks. dist. &  
an Elm 8 " " " S 45 E. 12 " "  
59.00 a Beech 12 in. diam.  
80.00 Set post Cor. to Sec. 5, 6, 7 & 8, fr. wh.  
a Hickory 30 in. dia. bears West, 8 lks. dist. &  
a Beech 5 " " " South 10 " "  
Land, level 2<sup>nd</sup> rate. Timb.  
Ash Poplar Beech &c. Undergrowth  
of spice &c.

---

East On Random between Sec. 5 & 8.  
40.00 set temp. gr. sec. post.  
80.00 Intersect N & S. line at post.  
Land, 2<sup>nd</sup> rate. Timb. Beech Ash  
&c. Undergrowth spice.

---

West Correct line between Sec. 5 & 8.  
21.00 a Sugar 8 in. diam.  
40.00 Set gr. sec. post, from which



175. T. 15 N. R. 12 E. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

ch. 40. a Beech 24 in. diam. bears S 40 E, 8 lb. dist.  
in Ironwood Cr. " " North 20 " "  
62.00 a Sugar 12 in. diam.  
80.00 Section Cor.

---

North Between sections 5 & 6.

11.00 a Poplar 18 in. diam.  
40.00 set gr. sec. post, from which  
a Sugar 15 in. diam. bears S 45 E, 10 lb. dist. &  
an Elm 14 " " " West, 13 " "  
51.00 a Wh. Oak 24 in. diam.  
79.50 Intersect N. Boundary line 100 lb.  
E. of post & set post Cor. to Secs 5 & 6.  
a Sugar 15 in. dia. bears W. 18 lb. dist. &  
Land, level 2<sup>nd</sup> rate. Limb.  
Beech Ash, Elm &c. Undergrowth  
of Spice &c.

---

West Between Secs 30 & 31.

20.00 a Bl. Walnut 20 in. diam.  
36.00 a Creek 25 lb. wide Course South.  
40.00 set gr. sec. post, from which  
a Beech 9 in. diam. bears S 35 W, 14 lb. dist. &  
a Beech 22 " " " North 10 " "  
60.00 a Beech 6 in. diam.  
89.00 Intersect W. Boundary line 24 lb.  
North of post. & set post Cor. to Secs  
30 & 31. from which  
a Sugar 10 in. dia. bears N 10 E, 10 lb. dist. &  
a Beech 4 " " " S 45 E, 12 " "  
Land, hilly 2<sup>nd</sup> rate. Limb.  
Beech, Ash &c. Und. 8th Spice.

---

West Between sections 19 & 30.

20.00 a Blue Ash 4 in. diam.  
40.00 set gr. sec. post from which

176.

S. 15 N. N. 12 E. 2<sup>nd</sup> Mer. Indiana.

ch. Sk.

~~a Beech 9 in. dia. bears S 35 W. 14 ch. dist. and  
a Do. 22 " " " N. 10 " "  
60.00 a Beech 6 in. diam.  
89.00 Intersect W. Boundary line 24 ch. N. of post  
& set post cor. to Sect 19 & 30. from which  
a Sugar 10 in. dia. bears N 10 E. 10 ch. dist. and  
a Beech 4 " " " S 45 E. 12 " "  
Land billy. Timber Beech, Ash &c.  
Undergrowth of spice.~~

---

West Between Sect 19 & 30.

20.00 a Blue Ash 4 in. diam.  
40.00 Set gr. sec. post, from which  
a Hickory 8 in. dia. bears North 12 ch. dist. and  
a Do. 5 " " " S 10 E. 5 " "  
91.50 Set post cor. to 19 & 30. 30 ch. S. of corner  
a Beech 9 in. dia. bears N. 28 " dist. and  
a Do. 24 " " " E. 30 " "  
Land 2<sup>nd</sup> rate. Timber Beech, Ash  
Sugar &c. Undergrowth spice.

---

West Between Sections 18 & 19.

22.50 a Beech 26 in. diam.  
40.00 Set gr. sec. post, from which  
a Buckeye 10 in. dia. bears S 40 E. 8 ch. dist. &  
a Wh. Oak 11 " " " N 45 E. 11 " "  
91.25 Intersect W. Boundary 145 ch. S. of post  
and set post cor. to Sect 18 & 19. from which  
a Beech 11 in. diam. bears S 45 E. 11 ch. dist. and  
a Sugar 8 in. diam. " N. 7 " "  
Land, 2<sup>nd</sup> rate. Beech, Ash, Walnut  
W. of the spice &c.

---

West Between Sections 7 & 18.

22.00 a Sugar 10 in. diam.  
40.00 Set gr. sec. post, from which

177. S. 15 N. R. 12 E. 2<sup>nd</sup> Mer. Indiana.  
Ch. Sk.

a Beech 15 in. diam. bears E. 12 Ch. dist. &  
a Sugar 6 " " " S 30 W. 15 " "  
91.50 Intersect W. Boundary 255 Ch. S. of post.  
and set post Cor. to Sect. 7 & 18. fr. wh.  
an Ash 4 in. diam. bears South 9 Ch. dist.  
a Sugar 10 " " " North 16 " "  
Land, level 2<sup>nd</sup> rate. Timb. Ash,  
Walnut Beech &c. W. Gth. Spice.

---

West Between Sect. 6 & 7.

20.00 a Beech 8 in. diam.

40.00 Set Gr. See post. from which  
an Ash 6 in. dia. bears West 6 Ch. dist. &  
a Beech 10 " " " N 45 E. 30 " "

62.00 a Beech 14 in. diam.

91.25 Intersect W. Boundary 4 Ch. S. of post.  
& set post Cor. to Sect. 6 & 7, from which  
a Beech 5 in. dia. bears N 45 W. 12 Ch. dist. &  
a Beech 6 " " " West 14 " "  
Land, level 2<sup>nd</sup> rate. Timb. Beech  
Ash, Oak &c. Undergrowth Spice.

Surveyed in 1844.

By A. Wallace,  
Deputy Surveyor.

---

178.

T. 15 N. R. 12 E. 2<sup>nd</sup> Mer. Indiana.

I certify that the foregoing transcripts of  
Township N. 15 North Range N. 12 E.  
of the 2<sup>nd</sup> Principal Meridian, Indiana  
has been compared with the original field  
notes in this Office and found to be  
correct.

Surveyor General's Office  
Detroit. Nov. 1. 1849.

Lucius Lyon,  
Sr. Surg.